<u>Chapter-11 Principles and Processes of Biotechnology</u>

Rajeshkumar Principal K V No.1, Devlali (Adopted for educational social service purpose only).



c) Rhizopusnigricans d) Retrovirus

Ans:d

- 6. DNA or RNA segment tagged with a radioactive molecules is called a) Vector b) Probe c) Clone d) Plasmid Ans: b
- 7. Restriction endonucleases are enzymes which

- 8.

- In tigase. I JNA molecules. 9.
- In genetic engineering a DNA segment (Gene) of interest, is transferred to the host cell 10. through a vector. Consider the following four agents (i-iv) in this regard and select the correct one or more of these can be used as a vector/vectors option about i) Bacteriu ii) Plas

Plasmodium iv) Bacteriophage a) (i), (ii) & (iv) b) (i) only

c) (i) & (iii)

d) (ii) & (iv)

Ans: d

- 11. Given below is a simple of a portion of DNA strand giving the base sequence on the opposite strands. What is so specialshown in it? 5' GAATTC 3'
- 3' CTTAAG 5' a) Replication completed b) Deletion mutation c) Start condon at the 5' end d) Plindromic sequence of base pairs. Ans: d There is a restriction endomolecules called Eco RI. What does "co" part in it stand f 12. c) Coenzyme a) Colon b) Coelom Ans: d 13. Agarose extracted from sea weeds is used in c) PCR a) Spectrophotometry b) Tissue culture d) Gel electrophoresis Ans: d 14. Which one of the following techniques made it possible to genetically engineer living organisms? a) Recombinant DNA techniques -ray diffraction d) Hybridizatiion c) Heavier isotope labeling Ans: a The given figure is the diagrammatic representation of the E.Coli vector PBR322. Which one of the given options correctly identifies its certain components(s)? 15.
 - a) Ori-original res enzyme
- b) Rop-reduced osmotic pressure
- c) Hin d III ectable markers
- d) Amp", tet– antibiotic resistance genes

Ans: d

16. restriction fragment length polymorphism are the methods for a) S udy of enzymes

- b) Genetic transformations
- c) DNA sequencing
- d) Genetic fingerprints

```
Ans: d
```

17. A singe strand of nucleic acid tagged with a radioactive molecules is called

- a) Vector b) Selectable marker c) Plasmid d) Probe Ans: d
- 18. Which one of the following is a case of wrong matching ?
 - a) Somatic Hybridization- Fusion of two diverse cells
 - b) Vector DNA- Site for tRNA synthesis
 - c) Micropropagation- in vitro production of plants in large numbers.
 - d) Callus- Unorganised mass of cells produced in tissue culture.
 - Ans: b

J. Devlai 19. Which one is a true statement regarding DNA polymerase used in P

- Principal a) It is used to ligate introduced DNA in recipients cells.
- b) It serves as a selectable marker
- c) It is isolated from a virus.
- d) It remains active at high temperature.

Ans: d

For transformation, micro-particles coated with DNA to be bombarded with gene gun are made up of 20. made up of

a) Silver or platinum b) F c) Silicon or platinum d) Gold or trungsten. or zinc Ans: d

- 21. **Biolistics** (gene suitable
 - a) Disarming gen vector
 - tion of plant cells b) Transf
 - ting recombinant DNA by joining with vectors
 - fingerprinting.
 - Ans: b
- 22. In genetic engineering, the antibiotics are used
 - a) As selectable markers
 - b) To select healthy vectors
 - c) As sequence from where replication starts
 - d) To keep the culture free of infection.

Ans: a

23. Which one of the following represents a palindromic sequence in DNA?

a) 5'-GAATTC-3
3-CTTAAG-5'
b) 5'-CCAATG-3'
3-GAATCC-5'
c) 5'-CATTAG-3
3'-GATAAC-5'
d) 5'-GATACC-3'
3'-CCTAAG-5
Ans: a

24. The colonies of recombinant bacteria appear white in contrast to blue colonies of nonrecombinant bacteria because of

- a) Insertional inactivation of alpha galactosidese in recommant bacteria
- b) Inactivation of glycosides enzyme in recombinant bacteria
- C) Non-recombinant bacteria containing beta galacteridase

d) Insertional inactivation of alpha galactoside

Ans: c

- 25. Which of the following is not correctly matched for the organism and its cell wall degrading enzyme?
 - a) Algae Methylase

b) Fungi - Chitinase

c) Bacteria - Lysozyr

d) Plant cells -Cellulase

J. Devlai

Ans: a

26. DNA fragments generated by the restriction endonucleases in a chemical reaction can be separated by

a) Electrophoresisc) centrifugationAns: a

b) Restriction mapping

- d) Polymerase chain reaction
- 27. An analysis of chromosomal DNA using the southern hybridization technique does not use
 a) Electrophoresis
 b) Blotting
 c) Autoradiography
 d) PCR
 Ans: d



- 35. Who disconnected recombinant DNA technoledge? a) HarGobind Khorana b) James Watson & Francis Crick c) Stanly Cohen & Herbert Boyer d) Watter Sutton Ans: c ty, Deviali 36. Find out the wrong statement? a) Mobile genetic element, Transposons were visualized by Barbara McClintock b) Udder cell a somatic cell is used to produce the cloned sheep by nuclear transplantation method. c) Dr. Ian Wilmut produced a cloned sheep called Dolley d) DNA ligases are used to cleave a DNA molecule. Ans: d One of the key factors which makes the plasmid the vector in genetic engineering is that a) It is resistant to antibiotics b) It is resistant to restriction enzymes c) Its ability to carry a foreign gene. d) Its ability to cause infection is the 37. d) Its ability to cause infection in the host Ans: c Which of the following is use as a best genetic vector in plants 38. a) Bacillus thurienglne b) Agrobacterium thumifaciens c) Psendomonasp d) All of the above Ans: b The polymerase chain reaction is a technique that 39. a) It is used for in vivo replication of DNA by is used for in vivo synthesis of mRNA c) It is used for in vitro synthesis of mRNA d) It is used for in vitro replication of specific DNA sequence using thermostable DNA polymerase. Ans: d
- 40. The construction of the first recombinant DNA was done by using the native plasmid of

	a) E coli		b) Salmonella tyj	phimurium	
	c) Bacillus thu	ringiensis	d) Agrobacterium	l.	
	Ans: b				
41.	Gel electropho	resis is used for			
	a) Construction	n of recombinant DNA by	joining with cloning v	vectors.	
	b) Isolation of	DNA molecules.			
	c) Cutting of D	NA is to fragments.		•	
	d) Separation of	of DNA fragments according	ng to their size.	Ň	
	Ans: d			No	
42.	Significant of 'heat shoch' method in bacterial transformation is to facilitate 🔨				
	a) Binding of DNA to the cell wall 2				
	b) Update of DNA through membrane transport proteins.				
	c) Update of D	NA through transient pore	s in the bacterial cell	wall.	
	d) Expression	of antibiotic resistant gene.	~?		
	Ans: c				
43.	Which of the following palindromic bare sequences in DNA can be easily cut at about the middle by some particular restriction enzyme				
	a) 5'CACGTA 3' : 3'CTCAGT 5'				
	b) 5°CGTTCG	3 : 3'ATGGTA 5'			
	c) 5'GATATC	3 : 3'CTACTA 5'			
	d) 5'GAATTC	3': CTTAAG S '			
	Ans: d	∞			
		. 65*			
44.	Agarose extrac	eted from sea weeds in used	l in		
	a) Spectropho	metry b) Tissue culture	c) PCR	d) Gel electrophoresis	
	Ans: d	,			
45.	Which one of the following technique made it possible to genetically engineered living organisms ?				
	a) Recombinar	nt DNA technique	b) X-ray diffracti	ion	
•	c) Heavier isot	ope labelling	d) Hybridization.		
	Ans: a				
46.	There is a restr	iction endonucleare called	EcoRI. What does 'co	o' part in it stand for?	
	a) Colon	b) Coelom	c) Coenzyme	d) Coli	

WWW.SSSFEP.COM

Allo, u

47. A single stand of nucleic acid tagged tagged with a radioactive molecule is called a) Vector b) Selectable marker c) Plasmid d) Probe Ans: d

For transformation, micro particles coated with DNA to be bombared with gene gun are water up of a) Silver or Platinum b) Platinum or Zine c) Silicon or Platinum d) Gold or Tungsten Ans: d Biolistics (Gene-gun) is suitable for a) Disarming pathogen vectors. b) Transformation of plant cells c) Constructing recombinant DNA by joining with vectors d) DNA fingerprinting Ans: b In genetic engineering, the antibiotics whised a) As selectable markers b) To select healthy vectors c) As sequence from where eplication starts. 48.

- 49.
- 50.

 - From Rais c) As sequence from where replication starts.